

HD



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/784,645	02/23/2004	Joseph P. Errico	SPINE 3.0-437 CPCPCPCPCPC	8190
51640	7590	04/11/2007	EXAMINER	
SPINE MP LERNER, DAVID, et al. 600 SOUTH AVENUE WEST WESTFIELD, NJ 07090			PELLEGRINO, BRIAN E	
			ART UNIT	PAPER NUMBER
			3738	

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	04/11/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<b>Office Action Summary</b>	<b>Application No.</b>		<b>Applicant(s)</b>	
	10/784,645		ERRICO ET AL.	
	<b>Examiner</b>		<b>Art Unit</b>	
	Brian E. Pellegrino		3738	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 23 February 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 July 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>10/14/05</u> .  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Priority*

An application in which the benefits of an earlier application are desired must contain a specific reference to the prior application(s) in the first sentence of the specification of in an application data sheet (37 CFR 1.78(a)(2) and (a)(5)). The specific reference to any prior nonprovisional application **must include the relationship** (i.e., continuation, divisional, or continuation-in-part) between the applications except when the reference is to a prior application of a CPA assigned the same application number.

### *Drawings*

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the knob being **threaded** to the shaft must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate

changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-3,7-9,12,13 are rejected under 35 U.S.C. 102(b) as being anticipated by Keller (4997432). Fig. 3 shows apparatus having a shaft 12 for manipulating spinal devices having first and second baseplates. The manipulation apparatus is fully capable of holding baseplates in a preferred lordosis position and are adapted for engagement with any confronting surfaces of baseplates. It can be seen (Fig. 2) that the apparatus contains an extension with upper and lower surfaces located at the distal end of the shaft and forward surfaces at the distal end of the extension that taper down to a smaller dimension. Fig. 6 shows that the "forward surfaces" 10 are flat and angled. Fig. 4 shows the forward surfaces are adapted for engagement with the spinal device

Art Unit: 3738

that anterior lateral facing surfaces mate with confronting anterior lateral surfaces of the baseplates. Movement is limited via the angled catch **21**.

Claims 14-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Zaslavsky et al. (6228023). Fig. 3 shows an instrument with a shaft **82**, a pin **84** having a holding end **90** and is spring biased via spring **98**. It can also be seen the instrument has a flange **96** coupled to the pin and wherein exertion of pressure on the flange forces the pin to extend a distance from the distal end of the shaft, col. 8, lines 31-33. Please note the intended use, as set forth in the claims, carries no weight in the absence of any distinguishing structure. Clearly, the device is capable of being inserted in an engagement hole of a vertebral baseplate. Regarding claim 19, Zaslavsky shows an embodiment with the instrument including a knob **232** coupled to the shaft **208** and when moved or rotated it forces the flange **230** to move towards the distal end of the shaft.

Claims 1-6,9,10 are rejected under 35 U.S.C. 102(e) as being anticipated by Keller (2005/119665). Keller shows (Fig. 4) apparatus for manipulating an intervertebral disc implant with a shaft **83** centrally located and having an extension **52** coupled to the shaft. It can be seen that the extension has flat upper surfaces and a curvate contour that engages the baseplate. The shaft also having forward surfaces **81** for engaging the baseplates. It has been held that the recitation that an element is "adapted to" perform a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchison*, 69 USPQ 138. Fig. 2

Art Unit: 3738

shows that the proximal end or area closest to the shaft protrudes across the entire lateral span of the shaft's distal end.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Zaslavsky et al. '023. Zaslavsky et al. is explained supra. However, Zaslavsky fails to disclose the knob being threaded to the shaft. It would have been an obvious matter of design choice to modify the attachment of the knob to the shaft, since applicant has not disclosed that using a threaded knob to the shaft provides any advantage, or solves a stated problem, or is used for any particular purpose. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with the means of attachment taught by Zaslavsky or the claimed threads in claim(s) 20 because both means of attachment perform the same function of coupling the knob to the shaft.

### ***Double Patenting***

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claim 1 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 1 of copending Application No. 10/784646. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims are so close in content that they both cover the same thing, despite a slight difference in wording.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 1,7-20 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1,3,5-10,12-18 of copending Application No. 10/784628. Although the conflicting claims are not identical,

they are not patentably distinct from each other because the claims are so close in content that they both cover the same thing, despite a slight difference in wording.

Claim 1 is rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 1 of U.S. Patent No. 7,115,132. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claim of this application is merely broader, but of similar scope to the apparatus or spinal instrument.

Claims 14,18,19 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 1 of copending Application No. 10/425267. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of this application is merely broader. See *In re Goodman*.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian E. Pellegrino whose telephone number is 571-272-4756. The examiner can normally be reached on Monday-Friday from 8am to 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.




Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TC 3700, AU 3738

**BRIAN E. PELLEGRINO**  
**PRIMARY EXAMINER**

A handwritten signature in black ink, reading "Brian E. Pellegrino", written in a cursive style.